

References Get Up and Go!

Jenny L. Clark, OTR/L

www.JennyLClark.com

Aarhus University. "Being surrounded by green space in childhood may improve mental health of adults." ScienceDaily. ScienceDaily, 26 February 2019. <www.sciencedaily.com/releases/2019/02/190226112426.htm>.

Abd El Aziz AN , K Jahangir, Y Kobayashi, F Norliyana , A Ahmad Jamil. (2012). Evaluation of the Effect of Preoperative Natural Water Fountain Melody on Teenagers' Behavior - Preliminary Study. *American Journal of Sociological Research* 2(4): 78-81.

American Occupational Therapy Association. (2014). Research opportunities in the area of mental health promotion, prevention, and intervention for children and youth. *American Journal of Occupational Therapy*, 68, 610–612. <http://dx.doi.org/10.5014/ajot.2014.685001>

Arbesman, M., Bazyk, S., & Nochajski, S. M. (2013). Systematic review of occupational therapy and mental health promotion, prevention, and intervention for children and youth. *American Journal of Occupational Therapy*, 67, e120–e130. <http://dx.doi.org/10.5014/ajot.2013.008359>

Atchley, R.A., Strayer, D.L., & Atchley, P. (2012). Creativity in the wild: Improving Creative Reasoning through immersion in natural settings. *PLOS*. <https://doi.org/10.1371/journal.pone.0051474>

Barros, R.M., Silver, E.J., & Stein, R.E. (2009). School recess and group classroom behavior. *Pediatrics*, 123(2):431-6. doi: 10.1542/peds.2007-2825.

Black, L.I., Clarke, T.C., Barnes, P.M., Stussman, B.J., & Nahin, R. (2015). Use of complimentary health approaches among children ages 4-17 years in the United States: National health interview survey 2007-2012. *National Health Statistics Reports*, No. 78 pp 1-19.

Bradshaw, M. (2017). Occupational therapy and complimentary health approaches and integrated health. *American Journal of Occupational Therapy*, 71 (suppl. 2) 1-6.

Campbell, M. & Martin, S. (2017). Exploring yoga as a sensory based intervention for children with sensory processing difficulties: a systematic literature review. *MOJ Yoga & Physical Therapy*, 2017;2(4):101–108.

Chaddock-Heyman L, Hillman CH, Cohen NJ, and Kramer AF. (2014). III. The importance of physical activity and aerobic fitness for cognitive control and memory in children. *Monogr Soc Res Child Dev*. 79(4):25-50.

Chou CC, Huang CJ (2017). Effects of an 8-week yoga program on sustained attention and discrimination function in children with attention deficit hyperactivity disorder. *PeerJ*. 5():e2883

Chugh-Gupta, N., Faldassarre, F.G., Vrkljan, B.H. (2013). A systematic review of yoga for state anxiety: considerations for occupational therapy. *Canadian Journal of Occupational Therapy*. ;80(3):150-70. doi: 10.1177/0008417413500930.

Drollette ES, Scudder MR, Raine LB, Moore RD, Saliba BJ, Pontifex MB, Hillman CH. (2014). Acute exercise facilitates brain function and cognition in children who need it most: an ERP study of individual differences in inhibitory control capacity. *Dev Cogn Neuroscience* 7:53-64.

Fabrizi, S. & Ponsolle-Mays, M. (2018). Enriching kids' lives: Addressing the effects of poverty on the health and well-being of school-aged children and their families. *OT Practice* Vol 23, Issue 9 pp 8-12.

Handout for the Therapro webinar **Get Up and Go! Motivating Children with SPD to Get Unplugged and Physically Active** presented by Jenny L. Clark, OTR/L - June 1, 2021

Faigenbaum, A.D. & Myer, G.D. (2012). Exercise deficit disorder in youth: Play now or pay later. *Current Sports Medicine Reports*. Vol 11, Issue 4, p 196-200. doi: 10.1249/JSR.0b013e31825da961

Fauber, H., Jansen, S., Wenos, J. PED, Peachey, A. DrPH. (2017). Exploring the efficacy of a modified school-based yoga intervention on aggression and emotional regulation in children. *American Journal of Occupational Therapy*, Vol 71, 7111515255. <https://doi.org/10.5014/ajot.2017.71S1-PO5141>

Frumkin, H., Bratman, G. N., Breslow, S. J., Cochran, B. Kahn, P. H., Lawler, J.J., Levin, P.S. Tandon, P.S., Varanasi, U. Wolf, K.S. and Wood, S.A. (2017). Nature contact and human health: A research agenda. *Environmental Health Perceptivie*; 125(7): 075001.doi: [10.1289/EHP1663](https://doi.org/10.1289/EHP1663)

Gascon, M, Zijlema, W., Vert, C., White, M.P., Nieuwenhuijsen, M. J. (2017). Outdoor blue spaces, human health and well-being: A systematic review of quantitative studies. *International Journal of Hygiene and Environmental Health*. 220(8):1207-1221. doi: 10.1016/j.ijheh.2017.08.004.

Georgiou, E., Matthias, E., Kobel, S., Kettner, S. Dreyhaupt, J., Steinacker, J.M., Pollatos, O. (2015). Interaction of physical activity and interoception in children. *Frontiers in Psychology*, Vol 6, article 502. doi: 10.3389/fpsyg.2015.00502

Greenburg, M., Harris, A. (2011). Nurturing mindfulness in children and youth: Current state of research. Prevention Research Center, Pennsylvania State University, Henderson S., University Park, PA
DOI: 10.1111/j.1750-8606.2011.00215.x

Hatfield, T.R., Brown, R.F., Giummarra, M.J., & Lenggenhager, B. (2017). Autism spectrum disorder and interoception; Abnormalities in global integration? *Sage Publishing Company*, DOI: 10.1177/1362361317738392

Hariprasad V.R., Arasappa R., Varambally S., Srinath S., Gangadhar B.N. (2013). Feasibility and efficacy of yoga as an add-on intervention in attention deficit-hyperactivity disorder: An exploratory study. *Indian J. Psychiatry*. 55:S379–S384

Heffler, K.F. & Oestreicher, L.M. (2016). Causation model of autism: Audiovisual brain specialization in infancy competes with social brain networks. *Medical Hypotheses*, 91:114-122
doi:016/j.mehy.2015.06.019.

Herbert, A. & Esparham, A. (2017). Mind-body therapy for children with attention-deficit/hyperactivity disorder. 4(5): 31. doi: [10.3390/children4050031](https://doi.org/10.3390/children4050031)

Hermawati, D., Rahmadi, F.A., Sumekar, T. A., & Winarni, T. I. (2018). Early electronic screen exposure and autistic-like symptoms. *Intractable Rare Disease Research*. 7(1): 69–71.doi: [10.5582/irdr.2018.01007](https://doi.org/10.5582/irdr.2018.01007)

Hight, J., Hardman, L., Schneck, C., & O'Brien, S. (2016). Community-based programming promoting physical activity. *American Journal of Occupational Therapy*, 70, 7011510206p1.
doi:10.5014/ajot.2016.70S1-PO3114

Hutton, J.S., Dudley, J., Horowitz-Kraus, T., DeWitt, T., & Holland, S. (2019). Associations between screen-based media use and brain white matter integrity in preschool-age children. *JAMA Pediatrics*, doi:<https://doi.org/10.1001/jamapediatrics.2019.3869>

Howie EK, Schatz J, and Pate RR. (2015). Acute Effects of Classroom Exercise Breaks on Executive Function and Math Performance: A Dose-Response Study. *Res Q Exerc Sport*. 86(3):217-24.

Kamijo K, Takeda Y, Takai Y, Haramura M. (2015). Greater aerobic fitness is associated with more efficient inhibition of task-irrelevant information in preadolescent children. *Biol Psychol*. 110:68-74.

Handout for the Therapro webinar **Get Up and Go! Motivating Children with SPD to Get Unplugged and Physically Active** presented by Jenny L. Clark, OTR/L - June 1, 2021

Kamijo K, Pontifex MB, O'Leary KC, Scudder MR, Wu C-T, Castelli DM, and Hillman CH. (2011). The effects of an afterschool physical activity program on working memory in preadolescent children. *Dev Sci.* 14(5): 1046–1058.

Kok, B.E. & Singer, T. (2017). Phenomenological Fingerprints of Four Meditations: Differential State Changes in Affect, Mind-Wandering, Meta-Cognition, and Interoception Before and After Daily Practice Across 9 Months of Training. *Mindfulness*, 8:218–231 DOI 10.1007/s12671-016-0594-9

Kugel, J., Hemberger, C., Krpalek, D., & Javaherian-Dysinger, H. (2016). Occupational therapy wellness program: Youth and parent perspectives. *American Journal of Occupational Therapy*, 70, 7005180010. <http://dx.doi.org/10.5014/ajot.2016.021642>

Kuo, F.E., Taylor, A.F. (2004). A potential natural treatment for attention-deficit/hyperactivity disorder: Evidence from a national study. *American Journal of Public Health*, Vol 94, No.9, 1580-1586.

Lawson, L.M. & Foster, L. (2016). Sensory patterns, obesity, and physical activity participation of children with autism spectrum disorder. *American Journal of Occupational Therapy*, Vol 70, 7005180070p8. doi:10.5014/ajot.2016.021535

Lees C, Hopkins J. (2013). Effect of Aerobic Exercise on Cognition, Academic Achievement, and Psychosocial Function in Children: A Systematic Review of Randomized Control Trials. *Prev Chronic Dis*;10:130010. DOI:<http://dx.doi.org/10.5888/pcd10.130010>

Madigan, S., Browne, D., Racine, N., Mori, C. and Tough, S. (2019). Association between screen time and children's performance on developmental screening test. *JAMA Pediatrics*; 173(3):244-250. doi:10.1001/jamapediatrics.2018.5056

McCurdy, L.E., Winterbottom, K. E., Mehta, S. S., Roberts, J. R., (2010). Using nature and outdoor activity to improve children's health. *Current Problems in Pediatric and Adolescent Health Care*, 40(5), 102-117.

Murray, R., Ramstetter, C. (2013). The crucial role of recess in school. *Pediatrics*, Vol 131, No. 1. 183-187. American Academy of Pediatrics.

Oldenberg L. (2004). Use of yoga with occupational therapy. *Int J Yoga Ther.* 12:71–7.

Oppezzo, M. & Schwartz, D.L.(2014). Give your ideas some legs: The positive effect of walking on creative thinking. *Journal of Experimental Psychology*, Vol 40, No 4, pp 1142-1152.

Peck H.L., Kehle T.J., Bray M.A., Theodore L.A. (2005). Yoga as an intervention for children with attention problems. *Sch. Psychol. Rev.* 34:415–424.

Radhakrishna, S., Nagarathna, R., & Nagendra H.R. (2010). Integrated approach to yoga therapy and autism spectrum disorders. *Journal of Ayurvedic Medicine.* 1(2): 120-124.

Sibinga EM, Perry-Parrish C, Chung SE, Johnson SB, Smith M, Ellen JM. (2013). School-based mindfulness instruction for urban male youth: a small randomized controlled trial. *Prev Med.* ;57(6):799–801pmid:24029559

Smith, A.L., Hoza, B., Linnea, K., McQuade, J.D., Tomb, M., Vaughn, A.J., Shouldberg, E.K., & Hook, H. (2013). *Journal of Attention Disorder*, 17(1):70-82. doi: 10.1177/10870547111417395

Stracciolini, A., Myer, G.D. Faigenbau, A.D. (2013). Exercise deficit disorder in children; Are we ready to make the diagnosis? *Physical Sports Medicine*; 41(1):94-101. doi: 10.3810/psm.2013.02.2003.

Tompsonski PD. (2016). Exercise and Cognition. *Pediatr Exerc Sci.* 28(1):23-7

Handout for the Therapro webinar **Get Up and Go! Motivating Children with SPD to Get Unplugged and Physically Active** presented by Jenny L. Clark, OTR/L - June 1, 2021

Ulrich, D.A., Burghardt, A.R., Lloyd, M., Tiernan, C., & Hornyak, J.E. (2011). Physical activity benefits of learning to ride a two-wheeled bicycle for children with Down Syndrome: A randomized trial. *Physical Therapy*, Volume 91, Issue 10, 1 October 2011, Pages 1463–1477, <https://doi.org/10.2522/ptj.20110061>

Weaver, L. (2016). An Occupational Therapist–Led Yoga Intervention for Anxious Youth: Outcomes and Implications for Research and Practice. *American Journal of Occupational Therapy*, August 2016, Vol. 70, 7011520296p1. doi:10.5014/ajot.2016.70S1-PO3069

Webster, E.K., Martin, C.K., & Staiano, A.E. (2019). Fundamental motor skills, screen-time, and physical activity in preschoolers. *Journal of Sports Health and Science*, Vol 8, Issue 2, pp 114-121.

White, M., Smith, A., Humphries, K., Pahl, S., Snelling, D., & Depledge, M. (2010). Blue space: The importance of water for preference, affect, and restorativeness ratings of natural and built scenes. *Journal of Environmental Psychology*, Vol 30, issue 4, pp 482-493.

World Health Organization. (2019). Guidelines on physical activity, sedentary behaviour and sleep for children under 5 years of age. World Health Organization.

Wu, C-D., McNeely, E., Cedeno-Laurent, J.G., Pan, W-C., Adamkiewicz, G. Dominici, F. Lung, S-C., Su, H-J., Spengler, J.D. (2014). Linking student performance in Massachusetts elementary schools with the “Greenness” of school surrounding using remote sensing. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0108548>